

QUIZ Time!

***AHA! GOTCHA!***

Congratulations! The following participants with the most correct answers have won a \$30.00 shopping voucher each:

- 1) SATYANARAYANA REDDY GAJJELA OF DEPARTMENT OF ENGINEERING
- 2) NICOLE CHOA OF DEPT OF MEDICINE
- 3) KOH KANG SHEING PHOEBE OF DEPARTMENT OF PHYSIOLOGY

Check out the answers circled below:

**Photo #1**



**Reference:**

1. Gloved hand may contaminate the face

2. **It is necessary to wear a lab coat when working in the lab to protect oneself**
3. **For adequate protection, lab worker should button up lab coat properly**
4. **Sharps bin should not be overfilled**
5. **Reagent bottle is not labeled to indicate its contents**
6. **Reagent bottle if not capped, may topple over and its contents spilled out by accident**
7. **Spills from tube should be cleaned up immediately**
8. **Spills on the bench should be cleaned up immediately**
9. **Coffee mug should not be brought into the lab as drinking is prohibited**
10. **No food (biscuits) in the lab as eating is prohibited**
11. **To avoid contamination, hand phone should not be placed on work bench/no charging of hand phones in the lab**
12. **No food (chocolates) in the lab as eating is prohibited**
13. **Overloading of power socket is a fire hazard**
14. **Loose electrical cables should be properly coiled up**
15. **Keys should be removed and kept in a safe place**

## Photo #2



## Reference:

1. Buckets should be balanced and sealed before loading into the centrifuge
2. Should not put pipette in lab coat pocket
3. It is too precarious to place a bottle of chemical near the edge of work bench
4. This ordinary wooden cupboard is not suitable for storage of flammable chemicals
5. Lab coat should be properly hung up in a designated area

6. Biological safety cabinet (BSC) sash is raised too high
7. BSC is congested with too many items
8. Micropipette placed on the edge of the BSC may affect its function and personnel may accidentally touch contaminated micropipette tip
9. Space beneath the BSC should not be used for storage
10. Used pipette should not stick out of a biohazard waste bin - risk of personal contamination
11. Yellow biohazard waste bag should be used instead of black bag which is for ordinary trash
12. Used glove is carelessly thrown on the floor. Should be discarded in a bin designated for biohazard waste
13. Contaminated paper towel should be thrown into a bin for biohazard waste
14. Remove bottle of solvent from the floor and store it in a designated cabinet
15. Sharps bin should not be placed on the floor
16. Bottles of chemicals should be stored in designated cabinets and not under a BSC

17. Fire extinguisher is hidden under the BSC. It should be placed where it is easily accessible when required

*We hope you have enjoyed this quiz. We'll be back soon - Watch out for our next all-new exciting game! Cheers!*